

**CBT 435 Scenario 1**

**Role Playing Script**

**Role Play/ADULT**

You are a: Male or **Female** Age: 16 Name:

CC: Sudden onset ABD pain

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 18

NOI ABD pain \_\_\_\_\_

Pulse: 124 and regular

MOI \_\_\_\_\_

Mental Status: alert and oriented

Skin Signs: cool/clammy/pale

**SICK X** NOT SICK \_\_\_\_\_

Body Position/Obvious Trauma: on her back, knees flexed

I am allergic to: Nothing

I take the following medications:

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

My medical history is: None

\_\_\_\_\_

Last oral intake (meal): Dinner 11 hours ago

**911 was called because: (Give the information ONLY if you are asked.)**

Sudden onset one sided lower quadrant pain.

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**CBT 537 Scenario 1**

**Role Playing Script**

**Role Play/Peds**

You are a: Male or **Female** Age: 1 Name:

CC: SOB

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 50 NOI SOB \_\_\_\_\_

Pulse: 150 and regular \_\_\_\_\_ MOI \_\_\_\_\_

Mental Status: wide awake and tracking

Skin Signs: warm/dry/pink **SICK** NOT SICK X

Body Position/Obvious Trauma: \_\_\_\_\_

I am allergic to: Nothing

I take the following medications:

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

My medical history is: None

\_\_\_\_\_

Last oral intake (meal): Dinner 11 hours ago

**911 was called because: (Give the information ONLY if you are asked.)**

Sudden onset SOB 0400 today

\_\_\_\_\_

\_\_\_\_\_

---

**CBT 443 Scenario 1**

**Role Playing Script**

**Role Play/Adult**

You are a: Male Age: 76 Name:

CC: syncope

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 16 NOI Syncope \_\_\_\_\_

Pulse: 44 and regular MOI \_\_\_\_\_

Mental Status: alert and oriented

Skin Signs: warm/dry/pale **SICK X** NOT SICK (becoming not sick)

Body Position/Obvious Trauma: \_\_\_\_\_

I am allergic to: Nothing

**I take the following medications:**

\_\_\_\_\_

Lopressor, HCTZ

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**My medical history is:** 2 way bypass surgery after his MI, 8 yrs ago

\_\_\_\_\_

**Last oral intake (meal):** Dinner 1.5 hours ago

**911 was called because: (Give the information ONLY if you are asked.)**

Wife heard a thud and found him down in the bathroom

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**CBT 301 Scenario 1**

**Role Playing Script**

**Role Play/Adult**

You are a: **Female** Age: 16 Name:

CC: burns to arms

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 20 NOI \_\_\_\_\_

Pulse: 120 MOI burns

Mental Status: alert and oriented

Skin Signs: warm/dry/pale **SICK X** NOT SICK (becoming not sick)

Body Position/Obvious Trauma: burns to both arms

I am allergic to: Nothing

I take the following medications:

_____	_____
_____	_____
_____	_____
_____	_____

My medical history is:

\_\_\_\_\_

Last oral intake (meal): breakfast 1 hour ago

**911 was called because: (Give the information ONLY if you are asked.)**

Chemical burns to both arms when an acid was spilled in the lab

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**CBT 165 Scenario 1**

**Role Playing Script**

**Role Play/Adult**

You are a: **Male** Age: 40 Name:

CC: fall in the tavern

A: Person \_\_\_\_\_ Place \_\_\_\_\_ Time: \_\_\_\_\_

V: \_\_\_\_\_

P: X

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 28 **NOI** fall w/ likely seizure

Pulse: 130 **MOI** \_\_\_\_\_

Mental Status: post ictal

Skin Signs: warm/pink/moist **SICK X** **NOT SICK**

Body Position/Obvious Trauma:

I am allergic to: Nothing

I take the following medications:

_____	_____
_____	_____
_____	_____
_____	_____

My medical history is:

ETOH abuse X 20 yrs

Last oral intake (meal): **light lunch 6 hours ago**

911 was called because: **(Give the information ONLY if you are asked.)**

Fall off the barstool and then a likely seizure

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**CBT 435 Scenario 2**

**Role Playing Script**

**Role Play/Adult**

You are a: **Female** Age: 44 Name:

CC: RUQ ABD pain

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 14 **NOI RUQ pain** \_\_\_\_\_

Pulse: 100 **MOI** \_\_\_\_\_

Mental Status: alert and oriented

Skin Signs: warm/moist/pink **SICK  NOT SICK (becoming not sick)**

Body Position/Obvious Trauma: burns to both arms

I am allergic to: Nothing

**I take the following medications:**

\_\_\_\_\_  
Beta blocker (Lopressor) and high cholesterol (Lovastatin)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**My medical history is: partially controlled hypertension**

**Last oral intake (meal): KFC and mashed potatoes 15 min. ago**

**911 was called because: (Give the information ONLY if you are asked.)**

Sudden onset RUQ pain

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**CBT 537 Scenario 2**

**Role Playing Script**

**Role Play/Peds**

You are a: **Male** Age: 12 Name:

CC: head versus diving board

A: Person \_\_\_\_\_ Place \_\_\_\_\_ Time: \_\_\_\_\_

V: \_\_\_\_\_

P: \_\_\_\_\_

U: X \_\_\_\_\_

**Initial Assessment:**

Respirations: 8 **NOI** \_\_\_\_\_

Pulse: 120 **MOI** struck head on diving board

Mental Status: unresponsive

Skin Signs: warm/moist/pink **SICK X** **NOT SICK**

Body Position/Obvious Trauma: nasty head laceration

I am allergic to: Unk

**I take the following medications:**

Unknown

_____	_____
_____	_____
_____	_____

**My medical history is:**

Unknown \_\_\_\_\_

Last oral intake (meal): Unknown

**911 was called because: (Give the information ONLY if you are asked.)**

Struck head on the diving board, falling unconscious into the water

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**CBT 443 Scenario 2**

**Role Playing Script**

**Role Play/Adult**

You are a: **Male** Age: 76 Name:

CC: Syncope

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 16 NOI Syncope \_\_\_\_\_

Pulse: 72 MOI \_\_\_\_\_

Mental Status: alert and oriented

Skin Signs: warm/dry/pale SICK X NOT SICK

Body Position/Obvious Trauma: Sitting on the toilet

I am allergic to: PCN

**I take the following medications:**

_____	_____
Flomax	
_____	_____
_____	_____
_____	_____

**My medical history is:**

Benign prostate hypertrophy

Last oral intake (meal): dinner 3 hours ago

**911 was called because: (Give the information ONLY if you are asked.)**

Wife heard a "thud" and found him down in the bathroom. You were straining to urinate.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**CBT 301 Scenario 2**

**Role Playing Script**

**Role Play/Adult**

You are a: **Male** Age: 33 Name:

CC: SW to ABD

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 24 NOI \_\_\_\_\_

Pulse: 120 MOI SW to ABD

Mental Status: alert and oriented

Skin Signs: warm/dry/pale **SICK X** NOT SICK

Body Position/Obvious Trauma: SW to ABD

I am allergic to: Nothing

**I take the following medications:**

None

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**My medical history is:**

None

\_\_\_\_\_

Last oral intake (meal): hot wings 40 minutes ago

\_\_\_\_\_

911 was called because: **(Give the information ONLY if you are asked.)** Altercation in the bar resulted in a SW to his ABD \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**CBT 165 Scenario 2**

**Role Playing Script**

**Role Play/Adult**

You are a: **Male** Age: 64 Name:

CC: Heavy chest

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 36 NOI MI/CHF \_\_\_\_\_

Pulse: 46 MOI \_\_\_\_\_

Mental Status: alert and oriented

Skin Signs: warm/dry/pale **SICK X** NOT SICK

Body Position/Obvious Trauma:

I am allergic to: Nothing

I take the following medications:

_____	_____
_____	_____
_____	_____
_____	_____

My medical history is:

Gall bladder removed

Last oral intake (meal): canned ham at dinner 5 hours ago

911 was called because: (Give the information ONLY if you are asked.)

Woke up w/ SOB and "heavy chest"

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**CBT 435 Scenario 3**

**Role Playing Script**

**Role Play/Adult**

You are a: **Male** Age: 82 Name:

CC: Upper ABD pain

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 30 NOI MI \_\_\_\_\_

Pulse: 68 MOI \_\_\_\_\_

Mental Status: alert and oriented

Skin Signs: cool/clammy/pale **SICK X** NOT SICK

Body Position/Obvious Trauma:

I am allergic to: Nothing

I take the following medications:

_____	_____
_____	_____
_____	_____
_____	_____

My medical history is:

Mild CVA in 2000 \_\_\_\_\_

Last oral intake (meal): small dinner 9 hours ago

911 was called because: (Give the information ONLY if you are asked.)

Woke up w/ upper ABD pain, some SOB, dizziness

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**CBT 301 Scenario 3**

**Role Playing Script**

**Role Play/Adult**

You are a: **Male** Age: 28 Name:

CC: GSW to foot

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 16 NOI \_\_\_\_\_

Pulse: 68 MOI GSW to foot \_\_\_\_\_

Mental Status: alert and oriented

Skin Signs: warm/pink/dry **SICK** X NOT SICK

Body Position/Obvious Trauma:

I am allergic to: Nothing

I take the following medications:

_____	_____
_____	_____
_____	_____
_____	_____

My medical history is:

\_\_\_\_\_

Last oral intake (meal): breakfast 3 hours ago

**911 was called because: (Give the information ONLY if you are asked.)**

Accidental self inflicted GSW to his foot, getting ready to clean his gun

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**CBT 537 Scenario 3**

**Role Playing Script**

**Role Play/Peds**

You are a: **Male** Age: 10 Name:

CC: "fall" resulting in arm Fx

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 20 **NOI** Child abuse

Pulse: 110 **MOI** \_\_\_\_\_

Mental Status: alert and oriented

Skin Signs: warm/dry/pink **SICK** X NOT SICK

Body Position/Obvious Trauma:

I am allergic to: Nothing

I take the following medications:

_____	_____
_____	_____
_____	_____
_____	_____

My medical history is:

\_\_\_\_\_

Last oral intake (meal): small breakfast 2 hours ago

\_\_\_\_\_

**911 was called because: (Give the information ONLY if you are asked.)**

You are very vague about all this, because dad hurt you AGAIN. He says you fell down the stairs. You also have old injuries you don't wish to talk about. \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**CBT 443 Scenario 3**

**Role Playing Script**

**Role Play/Adult**

You are a: **Female** Age: 38 Name:

CC: psych eval request

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 12 **NOI** depression \_\_\_\_\_

Pulse: 68 **MOI** \_\_\_\_\_

Mental Status: alert and oriented

Skin Signs: warm/dry/pink **SICK X NOT SICK**

Body Position/Obvious Trauma:

I am allergic to: Nothing

**I take the following medications:**

Elavil, Prozac, Zoloft \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**My medical history is:**

Multiple in patient admissions since her teens \_\_\_\_\_

Last oral intake (meal): small breakfast 2 hours ago

\_\_\_\_\_

**911 was called because: (Give the information ONLY if you are asked.)** You are so depressed you almost refuse to talk to the EMT's. You do not want to hurt yourself today but understand you may again soon. \_\_\_\_\_

—

\_\_\_\_\_

**CBT 165 Scenario 3**

**Role Playing Script**

**Role Play/Adult**

You are a: **Male** Age: 94 Name:

CC: Pt assist

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 16 **NOI**

Pulse: 68 **MOI** \_\_\_\_\_

Mental Status: alert and oriented

Skin Signs: warm/dry/pink **SICK** X NOT SICK

Body Position/Obvious Trauma:

I am allergic to: Nothing

**I take the following medications:**

HCTZ, Potassium \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**My medical history is:**

MI and bypass surgery 20 yrs ago \_\_\_\_\_

Last oral intake (meal): small dinner 4 hours ago

**911 was called because: (Give the information ONLY if you are asked.)**

Wife called because after you "slithered" out of bed, neither of you could get you back in bed. You are NOT injured.

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**CBT 435 Scenario 4**

**Role Playing Script**

**Role Play/Adult**

You are a: **Female** Age: 45 Name:

CC: nausea/vomiting/ABD pain

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 16 **NOI** Food poisoning

Pulse: 100 **MOI** \_\_\_\_\_

Mental Status: alert and oriented

Skin Signs: pink/warm/moist **SICK** X NOT SICK

Body Position/Obvious Trauma:

I am allergic to: Nothing

I take the following medications:

Orinase

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**My medical history is:**

Type 2 diabetes \_\_\_\_\_

Last oral intake (meal): Seafood salad 5 hours ago

**911 was called because: (Give the information ONLY if you are asked.)**

Ate some bad seafood 5 hours ago, and now you are plagued by nausea, vomiting, ABD pain \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**CBT 537 Scenario 4**

**Role Playing Script**

**Role Play/Peds**

You are a: **Male** Age: 9 Name:

CC: fall on bike

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 16 **NOI**

Pulse: 100 **MOI** bike fall resulting in soft tissue and leg Fx

Mental Status: alert and oriented

Skin Signs: pink/warm/moist **SICK** **X NOT SICK**

Body Position/Obvious Trauma: **tib/fib and LOTS of soft tissue**

I am allergic to: Nothing

I take the following medications:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

My medical history is:

\_\_\_\_\_

Last oral intake (meal): snack 30 minutes ago

**911 was called because: (Give the information ONLY if you are asked.)**

Riding your bike down hill (high speed) you go down because your front wheel hit a pot hole. Your head was protected because you were smart enough to wear a helmet

\_\_\_\_\_

\_\_\_\_\_

**CBT 443 Scenario 4**

**Role Playing Script**

**Role Play/Adult**

You are a: **Male** Age: 76 Name:

CC: weakness, loss of speech

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 16 **NOI CVA**

Pulse: 80 **MOI** \_\_\_\_\_

Mental Status: alert and oriented

Skin Signs: pink/warm/moist **SICK** X NOT SICK

Body Position/Obvious Trauma:

I am allergic to: peanuts

I take the following medications:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**My medical history is:**

MI 15 yrs ago \_\_\_\_\_

Last oral intake (meal): light snack 60 minutes ago

**911 was called because: (Give the information ONLY if you are asked.)**

Wife called when you dropped your yo-yo (new favorite toy) You cannot speak and are terribly frustrated. Your left side is totally flaccid \_\_\_\_\_

**CBT 301 Scenario 4**

**Role Playing Script**

**Role Play/Adult**

You are a: **Male** Age: 26 Name:

CC: nail gun versus hand

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 16 **NOI**

Pulse: 100 **MOI** impaled nail in hand

Mental Status: alert and oriented

Skin Signs: pink/warm/moist **SICK** **X NOT SICK**

Body Position/Obvious Trauma: hand nailed to roof

I am allergic to: Nothing

I take the following medications:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

My medical history is:

\_\_\_\_\_

Last oral intake (meal): breakfast 3 hours ago

**911 was called because: (Give the information ONLY if you are asked.)**

Not being all that skilled w/ your new nail gun, you manage to nail your hand to the roof!

\_\_\_\_\_

\_\_\_\_\_

**CBT 165 Scenario 4**

**Role Playing Script**

**Role Play/Adult**

You are a: **Female** Age: 74 Name:

CC: fall, hip pain

A: Person X Place X Time: X

V: \_\_\_\_\_

P: \_\_\_\_\_

U: \_\_\_\_\_

**Initial Assessment:**

Respirations: 16 **NOI**

Pulse: 80 **MOI** fall, hip Fx \_\_\_\_\_

Mental Status: alert and oriented

Skin Signs: pink/warm/dry **SICK** X NOT SICK

Body Position/Obvious Trauma: shortened externally rotated leg

I am allergic to: hay fever

I take the following medications:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

My medical history is:

\_\_\_\_\_

Last oral intake (meal): **Dinner 10** hours ago \_\_\_\_\_

**911 was called because: (Give the information ONLY if you are asked.)** You keep meaning to secure the rug in the kitchen, and today you slipped on it, falling onto and breaking your hip

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



